



Filleting knife (Art.-Nr. %artnr%)

Manufacturer information

Company	Johannes Giesser Messerfabrik GmbH
Street	Johannes-Giesser-Straße 1
City/Zip	71364 Winnenden
code	
Phone	07195/1808-0
Email	info@giesser.de

Technical Details

EAN/GTIN	4010303012958
Country of origin	Germany
Region	Baden-Württemberg
Customs tariff number	82119200 08
Length	260 mm
Blade length	180 mm
Weight	0.116 kg

Technical drawing



- ➔ Blade made of high quality chrome molybdenum steel
- ➔ Polished
- ➔ Curved shape
- ➔ Flexible blade
- ➔ Ideal for fish
- ➔ Ergonomic and non-slip plastic handle

Material properties

flexible blade

Blade

Highly polished

Blade made from high grade chrome molybdenum steel, hardened in vacuum process to 56 - 57 Rockwell hardness grade. Highly polished surface for highest possible rust resistance and durability of the cutting edge. Honing by hand for perfect sharpness.

Curved shape

Curved and narrow blade for work that is ergonomic and gentle on the wrist. The blade shape, above all, facilitates the drawing cut.

Flexible blade

Others

Ideal for fish

Handle

Standard handle

Standard plastic handle made from especially non-slip and pleasantly easy-to-grip material (TPE). The well shaped protective guard provides a secure hold and reduces the risk of the hand slipping when holding the knife.

Knives with a plastic handle

The plastic handle is suitable for contact with food and complies with the requirements of the following legal regulations (each including all amendments and in the current version at the time of making this declaration):

Regulation (EC) No. 1935/2004 on materials and objects (including active and intelligent food contact materials and objects), intended for coming into contact with food and repealing Directives 80/590/EWG and 89/109/EWG – in their currently valid version.

Regulation (EU) No. 10/2011 dated 14.01.2011 on materials and objects made from plastic intended for coming into contact with food.

All handles except wood

The knives are dishwasher proof. However, we recommend manual cleaning to protect the cutting edge.

